



# Safety Data Sheet

This safety data sheet complies with the requirements of:  
Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 24-Jun-2015

Revision Number 2

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Code** W10200  
**Product Name** SWEPCO Heavy Duty Patching Compound

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Solvent-borne coating  
**Uses advised against** Any non-label use

### 1.3. Details of the supplier of the safety data sheet

<b>Importer</b>	<b>Manufacturer</b>	<b>Supplier</b>
NV Southwestern Petroleum Europe SA Industrieweg 6 B-2390 Oostmalle BELGIUM www.swepcolube.com Email: swepco@edpnet.be Fax: 011-323-311-7277 Telephone: 011-323-312-3141	NV Southwestern Petroleum Europe SA Industrieweg 6 B-2390 Oostmalle BELGIUM www.swepcolube.com Email: swepco@edpnet.be Fax: 011-323-311-7277 Telephone: 011-323-312-3141	NV Southwestern Petroleum Europe SA Industrieweg 6 B-2390 Oostmalle BELGIUM www.swepcolube.com Email: swepco@edpnet.be Fax: 011-323-311-7277 Telephone: 011-323-312-3141

### 1.4. Emergency telephone number

**Emergency Telephone** Belgium Office: 011-323-312-3141  
US Office: +01-817-332-2336

### Emergency Telephone - §45 - (EC)1272/2008

Europe	112
--------	-----

## Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

<b>Aspiration toxicity</b>	Category 1 - (H304)
<b>Acute Toxicity - Dermal</b>	Category 4 - (H312)
<b>Chronic aquatic toxicity</b>	Category 3 - (H412)

### 2.2. Label elements

**Product Identifier**  
SWEPCO Heavy Duty Patching Compound

Contains Petroleum distillates, hydrotreated light, Mineral seal oil, Asphalt, oxidized



**Signal Word**

Danger

**Hazard statements**

H304 - May be fatal if swallowed and enters airways

H312 - Harmful in contact with skin

H412 - Harmful to aquatic life with long lasting effects

**Precautionary Statements - EU (§28, 1272/2008)**

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

**2.3. Other hazards**

20.411% of the mixture consists of ingredient(s) of unknown toxicity.

48.815 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

No other information available.

**Section 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Chemical Name	EC No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Asphalt	232-490-9	8052-42-4	10 - 20%	No data available	None Required
Petroleum distillates, hydrotreated light	265-149-8	64742-47-8	10 - 20%	Asp. Tox. 1 (H304)	None Required
Graphite	231-955-3	7782-42-5	0 - 10%	No data available	None Required
Cellulose	232-674-9	9004-34-6	0 - 10%	No data available	None Required
Diatomaceous earth	-	61790-53-2	0 - 10%	No data available	None Required
Copper(II) dimethyldithiocarbamate	205-287-8	137-29-1	0 - 10%	No data available	None Required
Non-respirable quartz	238-878-4	14808-60-7	0 - 10%	No data available	05-2115857448-32-000

**Full text of H- and EUH-phrases: see section 16**

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

**Section 4: FIRST AID MEASURES****4.1. Description of first aid measures****Inhalation**

Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If symptoms persist, call a physician.

**Skin Contact**

Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.

**Eye Contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Ingestion**

Call a physician or Poison Control Center immediately. Do not induce vomiting without medical advice. If vomiting occurs, keep head below hips to prevent aspiration.

**4.2. Most important symptoms and effects, both acute and delayed****Symptoms**

No other information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to Physician**

Treat symptomatically.

**Section 5: FIRE FIGHTING MEASURES****5.1. Extinguishing media****Suitable Extinguishing Media**Dry chemical, foam or carbon dioxide (CO<sub>2</sub>). Cool containers with flooding quantities of water until well after fire is out.**Unsuitable Extinguishing Media**

Do not scatter spilled material with high pressure water streams.

**5.2. Special hazards arising from the substance or mixture**

Thermal decomposition can lead to release of irritating gases and vapors.

**Hazardous Combustion Products**Hydrogen sulfide (H<sub>2</sub>S) may be produced above 250° F (121° C). Decomposition and combustion products may be toxic.**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

**Section 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures****Personal Precautions**

Ensure adequate ventilation.

**For emergency responders**

Use personal protection recommended in Section 8.

**6.2. Environmental precautions**

Do not allow material to contaminate ground water system. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.

**6.3. Methods and material for containment and cleaning up****Methods for Containment**

Prevent further leakage or spillage if safe to do so. Use inert absorbent materials to confine spills and absorb spill.

**Methods for Clean-up**

Take up mechanically and collect in suitable container for disposal.

**6.4. Reference to other sections**

See section 8 for more information. See section 13 for more information.

**Section 7: HANDLING AND STORAGE****7.1. Precautions for safe handling****Handling**

Ensure adequate ventilation.

**General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities****Storage**

Keep container tightly closed in a dry and well-ventilated place.

**Incompatible Materials**

Strong oxidizing agents.

**7.3. Specific end use(s)****Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters****Exposure limits**

If there are exposure limits set for any components of this product, they will be listed below. Keep in mind, however, that these exposure levels are for pure concentrations of these ingredients:

Chemical Name	EU OEL	United Kingdom	France	Spain	Germany
Asphalt 8052-42-4				VLA-ED: 0.5 mg/m <sup>3</sup> VLA-ED (fume)	-
Graphite 7782-42-5			TWA: 2 mg/m <sup>3</sup>	VLA-ED: 2 mg/m <sup>3</sup> VLA-ED (dust)	-
Cellulose 9004-34-6			TWA: 10 mg/m <sup>3</sup>	VLA-ED: 10 mg/m <sup>3</sup> VLA-ED	-
Diatomaceous earth 61790-53-2				VLA-ED: 10 mg/m <sup>3</sup> VLA-ED (inhalable fraction, this value is for the particulated matter that is free from asbestos and contains less than 1% of crystalline silica); 3 mg/m <sup>3</sup> VLA-ED (respirable fraction, this value is for the particulated matter that is free from asbestos and contains less than 1% of crystalline silica)	-
Non-respirable quartz 14808-60-7			TWA: 0.1 mg/m <sup>3</sup>	-	-
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
Asphalt 8052-42-4	-	TWA: 0.5 mg/m <sup>3</sup>	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>
Graphite 7782-42-5	-	TWA: 2 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>
Cellulose 9004-34-6	-	TWA: 10 mg/m <sup>3</sup>	-		
Diatomaceous earth 61790-53-2	-	TWA: 3 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>
Copper(II) dimethyldithiocarbamate 137-29-1	-		-	TWA: 0.1 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	
Non-respirable quartz 14808-60-7	-		TWA: 0.075 mg/m <sup>3</sup>		
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
Asphalt 8052-42-4	-	TWA: 10 mg/m <sup>3</sup>	NDSch: 10 mg/m <sup>3</sup> NDS: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Graphite 7782-42-5	MAK: 6 mg/m <sup>3</sup> MAK (respirable fraction, fibrous dust)	TWA: 2.5 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	NDS: 4.0 mg/m <sup>3</sup> NDS: 6.0 mg/m <sup>3</sup> NDS: 1.0 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	
Cellulose 9004-34-6	-	TWA: 3 mg/m <sup>3</sup>			TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>
Diatomaceous earth 61790-53-2	MAK: 4 mg/m <sup>3</sup> MAK (inhalable fraction)	TWA: 4 mg/m <sup>3</sup>	NDS: 10 mg/m <sup>3</sup> NDS: 2.0 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>	
Copper(II) dimethyldithiocarbamate 137-29-1	STEL: 0.4 STEL: 4 MAK: 0.1 MAK: 1				TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 2 mg/m <sup>3</sup>

Non-respirable quartz 14808-60-7	-	TWA: 0.15 mg/m <sup>3</sup>			
-------------------------------------	---	-----------------------------	--	--	--

**Derived No Effect Level (DNEL)** No other information available.

**Predicted No Effect Concentration (PNEC)** No other information available.

### 8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

### **Personal Protective Equipment**

**Eye/face Protection**

Tightly fitting safety goggles.

**Skin Protection**

Long sleeved clothing.

**Respiratory Protection**

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. If personal exposure levels cannot be maintained below recommended exposure limits or if product is applied by spraying, approved respiratory protection should be worn.

**Environmental exposure controls** No other information available.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

**Physical State** Thick paste  
**Color** Black  
**Odor** No other information available  
**Odor Threshold** No other information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No other information available	
<b>Melting point / freezing point</b>	No other information available	
<b>Boiling Point/Range</b>	149 °C	
<b>Flash Point</b>	63 °C	
<b>Evaporation Rate</b>	No other information available	
<b>Flammability (solid, gas)</b>	No other information available	
<b>Flammability Limit in Air</b>		
<b>Upper flammability limit:</b>	6.0	
<b>Lower flammability limit:</b>	1.0	
<b>Vapor pressure</b>	No other information available	
<b>Vapor Density</b>	> 3	
<b>Relative density</b>	No other information available	
<b>Water Solubility</b>	No other information available	
<b>Solubility in other solvents</b>	No other information available	
<b>Partition coefficient</b>	No other information available	
<b>Autoignition Temperature</b>	220 °C	
<b>Decomposition temperature</b>	No other information available	
<b>Kinematic viscosity @40C</b>	No other information available	
<b>Dynamic viscosity</b>	No other information available	
<b>Explosive Properties</b>	No other information available	
<b>Oxidizing Properties</b>	No other information available	

### 9.2. Other information

**Softening Point** No other information available  
**Molecular Weight** No other information available  
**Volatiles, % Vol** No data available  
**Density** No other information available  
**Bulk Density** No other information available

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

Stable under normal conditions. Hazardous polymerization does not occur.

#### Explosion Data

Sensitivity to static discharge      None.

### 10.3. Possibility of hazardous reactions

#### **Possibility of Hazardous Reactions**

None under normal processing.

### 10.4. Conditions to avoid

Heat, flames and sparks.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Hydrocarbons. Carbon monoxide. Hydrogen sulfide (H<sub>2</sub>S) may be produced above 250° F (121° C).

## Section 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### **Acute Toxicity**

#### **Product Information**

Product does not present an acute toxicity hazard based on known or supplied information.

<b>Inhalation</b>	No data available.
<b>Eye Contact</b>	No data available.
<b>Skin Contact</b>	No data available.
<b>Ingestion</b>	No data available.

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	2,421.00
<b>ATEmix (dermal)</b>	2,000.00
<b>ATEmix (inhalation-dust/mist)</b>	5.80

#### **Unknown acute toxicity**

100% of the mixture consists of ingredient(s) of unknown toxicity.  
 20.411 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.  
 29.835 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.  
 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).  
 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).  
 98.04 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

**Skin Corrosion/Irritation**      No other information available.

**Serious eye damage/eye irritation**      No other information available.

**Sensitization**      No other information available.

**Mutagenic Effects**      No other information available.

**Carcinogenic Effects**      No other information available.

<b>Reproductive Effects</b>	No other information available.
<b>STOT - single exposure</b>	No other information available.
<b>STOT - repeated exposure</b>	No other information available.
<b>Aspiration hazard</b>	No other information available.

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Unknown Aquatic Toxicity 48.815 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Freshwater Fish	Water Flea
Petroleum distillates, hydrotreated light	-	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	4720: 96 h Den-dronereides heteropoda mg/L LC50
Diatomaceous earth	-	10000: 72 h Cyprinus carpio mg/L LC50	

### 12.2. Persistence and degradability

No other information available.

### 12.3. Bioaccumulative potential

No other information available.

Chemical Name	Partition coefficient
Asphalt	>6

### 12.4. Mobility in soil

#### **Mobility in soil**

No other information available.

### 12.5. Results of PBT and vPvB assessment

No other information available.

### 12.6. Other adverse effects

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

#### **Waste from Residues / Unused Products**

Dispose of in accordance with local regulations.

#### **Contaminated Packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.

## Section 14: TRANSPORT INFORMATION

**IMDG/IMO**

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Marine Pollutant	Not applicable
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No other information available

**RID**

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

**ADR**

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not Regulated
14.4 Packing Group	Not Regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

**IATA**

14.1 UN-No	Not Regulated
14.2 Proper Shipping Name	Not Regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not Regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

**Authorizations and/or restrictions on use:**

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)  
This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

**Persistent Organic Pollutants**

Not applicable

**Ozone-depleting substances (ODS) regulation (EC) 1005/2009**

Not applicable

**15.2. Chemical safety assessment**

No other information available

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet



**Full text of H-Statements referred to under section 3**

H304 - May be fatal if swallowed and enters airways

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value
*	Skin designation

**Classification procedure**

Calculation method

**Prepared By**

Regulatory Compliance Department

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008.

**The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text**

**End of Safety Data Sheet**